



SDS (Safety Data Sheet)

Product	AISIN econTECH+ SQ 10W-40		
SDS Number	AISIN Part Number	Issuing date	Last revised date
ADS#28926	ESSQ1041PC	2025-06-30	2026-02-20

1. IDENTIFICATION

1) Product name

AISIN econTECH+ SQ 10W-40

2) Recommended use of the chemical and restriction on use

- Recommended use
Lubricants
Gasoline engine oil
- Restrictions on use
Do not use for any other purpose.

3) Details of the supplier of the safety data sheet

○ Manufacturer

- Company name
AISIN Aftermarket & Service of America
- Address
19801 Vermont Ave, Torrance, CA 90502 U.S.A.
- Emergency telephone number:
CHEMTREC: +1-800-424-9300 - DOMESTIC
+1-202-4X83-7616 - INTERNATIONAL

2. HAZARDS IDENTIFICATION

1) Classification of the product

- Not applicable

2) Label elements

- **Hazard pictograms**
- Not applicable
- **Signal word**
- Not applicable
- **Hazard statements**
- Not applicable
- **Precautionary statements**
 - 1) Prevention**
- Not applicable
 - 2) Response**
- Not applicable
 - 3) Storage**
- Not applicable
 - 4) Disposal**
- Not applicable

3) Other hazards

- Product NFPA Level

(※ 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

Product name	Health	Flammable	Reaction
AISIN econTECH+ SQ 10W-40	0	1	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic	Emulsifiable oil	64742-54-7	265-157-1	84 ~ 94
Trade secret				5 ~ 15
ar-Nonyl-N-(nonylphenyl)benzenamine	DINONYL DIPHENYLAMINE	36878-20-3	253-249-4	0.6 ~ 3
Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	1-Hexanol,2-ethyl-, O,O-diester with phosphorodithioic acid, zinc salt (7CI)	4259-15-8	224-235-5	0.2 ~ 0.9
Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased	Dodecylphenol, calcium salt, overbased, sulfurized, carbonated	68784-26-9	272-234-3	0.1 ~ 0.8
Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	Dialkyl(C1-C14)dithiophosphoric acid, zinc salt ; DI-C1-14 ALKYL DITHIOPHOSPHORIC ACID, ZINC SALT ; Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	68649-42-3	272-028-3	0.1 ~ 0.8

※ Except for the above components, all components are not listed as they do not meet the criteria for hazardous risk classification in Article 104 (Classification of Hazardous Factors) of Regulated Acts and Occupational Safety and Health Act.

※ This product has less than 3% DMSO extract as measured by the IP346 method.

4. FIRST AID MEASURES

1) Eye contact

- In case of contact with material, immediately flush eyes with running water for at least 15 minutes.
- If eye irritation persists: Get medical advice/attention.

2) Skin contact

- In case of contact with material, immediately flush skin with running water for at least 15 minutes.
- Remove and isolate contaminated clothing and shoes.
- Launder contaminated clothing and shoes before re-use.
- If skin irritation occurs: Get medical advice/attention.

- | | |
|--|---|
| 3) Inhalation | <ul style="list-style-type: none"> - Move victim to fresh air. - Give artificial respiration if victim is not breathing. - Administer oxygen if breathing is difficult. - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. |
| 4) Ingestion | <ul style="list-style-type: none"> - If unconscious but breathing, never give anything by mouth - If swallowed do not induce vomiting, seek medical advice immediat. - Get immediate medical advice/attention. - Rinse mouth. |
| 5) Indication of any immediate medical attention and special treatment needed | <ul style="list-style-type: none"> - Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |

5. FIRE FIGHTING MEASURES

- | | |
|---|--|
| 1) Suitable (and unsuitable) extinguishing media | <ul style="list-style-type: none"> - Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO2 (Suitable extinguishing media) - Large fire: Water spray/fog, regular foam (Suitable extinguishing media) - High-pressure water (Unsuitable extinguishing media) |
| 2) Special hazards arising from the substance or mixture | <ul style="list-style-type: none"> - May be ignited by heat, sparks or flames. - Fire may produce irritating and/or toxic gases. - May cause toxic effects if inhaled. |
| 3) Special protective equipment and precautions for firefighters | <ul style="list-style-type: none"> - Substance may be transported hot. - Runoff may cause pollution. - Contact may cause burns to skin and eyes. - Dike fire-control water for later disposal; do not scatter the material. - Move containers from fire area if you can do it without risk. - Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out. - Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. - Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire. |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|--|---|
| 1) Health considerations and protective equipment | <ul style="list-style-type: none"> - Do not touch or walk through spilled material. - ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). - Ventilate the contaminated area. - Stop leak if you can do it without risk. - Prevent dust cloud. - Please note that materials and conditions to be avoided. |
| 2) Environmental | <ul style="list-style-type: none"> - Prevent entry into waterways, sewers, basements or confined areas. |

precautions

- 3) Methods and material for containment and cleaning up**
- Small Spill: Flush area with flooding quantities of water.
 - Large Spill: Dike far ahead of liquid spill for later disposal.
 - With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
 - Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
 - Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

7. HANDLING AND STORAGE

- 1) Precautions for safe handling**
- Wash ... thoroughly after handling.
 - Please note that materials and conditions to be avoided.
 - Handling refer to engineering control/personal protection section.
 - Cuation: High temperature
- 2) Conditions for safe storage (including any incompatibilities)**
- Store in a dry place. Store in a closed container.
 - Please note that materials and conditions to be avoided.
 - Store in a closed container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

1) Control parameters

Chemical name	Exposure limits	ACGIH TLV	OSHA PEL	Biological limit values(BLV)
Distillates (petroleum), hydrotreated heavy paraffinic	TWA : 0.8 mg/m3	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
Trade secret	Not available	Not available	Not available	Not available
ar-Nonyl-N-(nonylphenyl)benzenamine	Not available	Not available	Not available	Not available
Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	Not available	Not available	Not available	Not available
Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased	Not available	Not available	Not available	Not available
Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	Not available	Not available	Not available	Not available

2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
- Adjust the ventilation rate to suit the condition.

3) Personal protection equipment

- **Respiratory protection**
 - Wear a adequate respiratory protection equipment with certificate by considering physicochemical properties of exposed particulate material.
 - In case exposed to particulate material, the respiratory protective equipments as follow are recommended.
 - facepiece filtering respirator or air-purifying respirator, high-efficiency particulate air(HEPA) filter media or resporator equipped with power
 - In lack of oxigan(<19.6%), wear the supplied-air respirator or self-contained breathing apparatus.
 - Consider the warning characteristics beforehand.
- **Eye protection**
 - Wear breathable safety goggles to protect from material causing eye irritation or other disorder.
 - An eye wash unit and safety shower station should be available nearby work place.
 - In case of direct exposure or potential exposure to the substance, wear safety glasses for chemicals approved in the country.
- **Hand protection**
 - Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
 - In case of direct exposure or potential exposure to the substance, wear safety gloves for chemicals approved in the country.
- **Body protection**
 - Wear appropriate protective clothing by considering physical and chemical properties of chemicals.
 - In case of direct exposure or potential exposure to the substance, wear protective clothing for chemicals approved in the country.

9. PHYSICAL AND CHEMICAL PROPERTIES

Item	Input Value
Apperance	Liquid
Color	Light yellow
Smell	a specific smell of hydrocarbon
Smell Threshold	No Data
pH (Numerical value)	No Data
Melting/Freezing Point	No Data
Boilling Point	No Data
Flash Point	240 °C
Evaporating Rate	No Data
Flammability(Solid, Gas)	No Data
Explosibility Range	No Data

Steam Pressure	No Data
Solubility	No Data
Vapor Density	No Data
Specific Gravity	0.862
Distribution Coefficient	No Data
Selfignition Temperature	No Data
Pyrolysis Temperature	No Data
Viscosity	15.0 mm ² /s (at 100°C)
Molecular Weight	No Data

10. STABILITY AND REACTIVITY

- 1) **Chemical Stability and hazardous reactivity**
 - Stable under normal temperatures and pressures.
 - Containers may explode when heated.
 - Some may burn but none ignite readily.
- 2) **Conditions to avoid**
 - Ignition source(heat, spark, flame)
- 3) **Incompatible materials**
 - Combustibles
 - Irritating and/or toxic gas
- 4) **Hazardous decomposition products** - Not available

11. TOXICOLOGICAL INFORMATION

1) Information on the likely routes of exposures

- ☐ **Inhalation**
 - No inhalation effects through respiratory system.
- ☐ **Skin contact**
 - No effect on skin contact.
- ☐ **Eye contact**
 - No effect on eye contact.
- ☐ **Ingestion**
 - No ingestion effect through mouth.

2) Health hazard information

- ☐ **Acute toxicity**
 - * **Oral** - **Not classified (ATEmix > 2000 mg/kg)**
 - Distillates (petroleum), hydrotreated heavy paraffinic : rat(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 401, GLP) (ECHA)
 - Trade secret : Not available

- ar-Nonyl-N-(nonylphenyl)benzenamine : rat(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 401) (ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rat(male); LD50 = 3100 mg/kg bw (OECD TG 401) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : rat; LD50 = 5000-16000 mg/kg bw no deaths (NICNAS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rat; LD50 = 3100 mg/kg bw (read across: zinc bis(O,O-diisooctyl) bis(dithiophosphate) (ECHA)

*** Dermal - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rabbit(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 402, GLP) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : rat(male/female); LD50 > 2000 mg/kg bw (OECD TG 402) (ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rabbit(male); LD50 > 5000 mg/kg bw (OECD TG 402) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : rat; LD50 > 2000 to > 15000 mg/kg bw, no deaths (NICNAS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rabbit(male/female); LD50 > 3160 mg/kg bw, no deaths (ECHA)

*** Inhalation(Gas) - Not applicable**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

*** Inhalation(Vapour) - Not classified (ATEmix > 20 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : rat; vapour and aerosol inhalation; LC50 > 1.67 mg/L, no deaths (OECD TG 403) (NICNAS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rat; LC50 > 5 mg/L air, no deaths (no data for exposure time)(ECHA)

*** Inhalation(Dust, mist) - Not classified (ATEmix > 5 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : inhalation: aerosol; rat(male/female); 4h-LC50 > 5.53 mg/L. No deaths (read-across: MRD-87-102) (OECD TG 403)(ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available

○ Skin corrosion/Irritation : Not classified

- Distillates (petroleum), : Solvent dewaxed light paraffinic oil is not considered to be irritating to the skin

- hydrotreated heavy paraffinic of rabbits. (read across : 64742-56-9) (GLP) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : rabbit; slightly irritating (OECD TG 404, GLP) (read across: TK12340) (ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rabbit; not irritating (OECD TG 404, GLP) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : rabbits; not dermal irritants(NICNAS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rabbit; irritating (PDII = 4) (read across: Cetrimonium chloride (CAS No: 112-02-7))(ECHA)

○ **Serious eye damage/irritation : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Solvent dewaxed light paraffinic oil is not considered to be an ocular irritant. (read-across: 64742-56-9) (equivalent or similar to guideline OECD TG 405, GLP) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : rabbit; not irritating (OECD TG 405, GLP) (read across: TK12340) (ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rabbit; zinc salt causes persistent eye irritation through 21 days. (OECD TG 405, GLP) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : rabbit; slightly irritating to eyes (OECD TG 405) (NICNAS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rabbit; irritating (read across: Stearyltrimethylammonium chloride) (OECD TG 405)(ECHA)

○ **Respiratory sensitization : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters : Not available

zinc salts

○ **Skin sensitization : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Under the conditions of the test, Solvent dewaxed light paraffinic oil is considered non-sensitizing for guinea-pigs. (read-across: 64742-56-9) (OECD TG 406, GLP) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : guinea pig: not sensitising (OECD TG 406) (NICNAS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Human(patch test); not sensitising(positive reaction index=0) (read across: Cetrimonium chloride (CAS No: 112-02-7))(ECHA)

○ **Carcinogenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed

○ **Germ cell mutagenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : In vitro bacterial reverse mutation assay: negative (equivalent or similar to guideline OECD TG 471) (ECHA)
In vitro mammalian chromosome aberration test: negative (read-across : 64742-53-6) (equivalent or similar to guideline OECD TG 473, GLP) (ECHA)
In vivo micronucleus assay : negative (read-across : 64741-62-4, 64741-53-3) (equivalent or similar to guideline OECD TG 474) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : In vitro Bacterial Reverse Mutation Assay : negative (OECD TG 471) (read across: TK12340) (ECHA), In Vitro Mammalian Cell Gene Mutation Test : negative (OECD TG 476) (read across: 4,4-diocetyl diphenylamine) (ECHA)
In vivo rodent dominant lethal assay : negative (OECD TG 478) (ECHA)

- Phosphorodithioic acid : In vitro bacterial reverse mutation assay; negative (OECD TG 471, GLP) (ECHA)
- O,O-bis(2-ethylhexyl) ester, : In vivo Mammalian Erythrocyte Micronucleus Test: negative (OECD TG 474, GLP)
- zinc salt (ECHA)
- Dodecyl phenol, sulfurized, : in vitro Bacterial Reverse Mutation Assay; negative (OECD TG 471) (NICNAS)
- carbonates, calcium salts, : in vitro Mammalian Cell Gene Mutation Test; negative (OECD TG 476) (NICNAS)
- overbased
- Phosphorodithioic acid : In vitro - Bacterial reverse mutation test ; Negative (OECD TG 471) (read across;
- O,O-dialkyl(C=1-14) esters Cetrimonium chloride (CAS No: 112-02-7), 2',4',5',7'-tetrabromo-4,5,6,7-
- zinc salts tetrachloro-3',6'-dihydroxy-3H-spiro[2-benzofuran-1,9'-xanthen]-3-one) (ECHA)
- In vivo: Not available

○ Reproductive toxicity : Not classified

- Distillates (petroleum), : rat; screening for reproductive / developmental toxicity; Reproductive
- hydrotreated heavy performance was not adversely affected at any dose level evaluated. There were
- paraffinic no neonatal toxicity observed at any dose level. There were no differences in
- terms of systemic toxicity between either of the dose formulations. (read-across :
Chevron 100 Neutral) (OECD TG 421, GLP) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N- : rat; 50, 150 and 500 mg/kg bw; The substance is not teratogenic and not
- (nonylphenyl)benzenamine embryotoxic in rats. It causes maternal toxicity at a dose level of 500 mg/kg bw.
- (OECD TG 414, GLP) (ECHA)
- Phosphorodithioic acid : rat(male/female); oral; 30, 100, 200 mg/kg/day; Reproduction / Developmental
- O,O-bis(2-ethylhexyl) ester, Toxicity Screening Test; NOAEL(parental and neonatal toxicity)=30 mg/kg/day
- zinc salt (OECD TG 421, GLP) (ECHA)
- Dodecyl phenol, sulfurized, : A dose level of 50 mg/kg/day was considered to be the clear NOAEL (no
- carbonates, calcium salts, observable adverse effect level) for systemic parental and neonatal toxicity and
- overbased 300 mg/kg/day was considered to be the NOAEL for reproductive toxicity.
- There was no evidence of cumulative toxic effect across generations in this
- study. (OECD TG 416, GLP)(NICNAS)
- Phosphorodithioic acid : In a developmental toxicity study, Sprague-Dawley female rats were treated with
- O,O-dialkyl(C=1-14) esters Quat-Silsesquioxane in the concentration of 0, 100, 300, or 1000 mg/kg/day
- zinc salts orally by gavage in corn oil.No maternal mortality and clinical signs or
- behavioral changes were observed in treated female rats as compared to
- control. NOAEL(P)=300 mg/kg bw, NOAEL(F1)=1000 mg/kg bw (read across :
Quaternary Silsesquioxane)(ECHA)

○ Specific target organ toxicity (single exposure) : Not classified

- Distillates (petroleum), : Hydronephrosis of the right kidney was observed in one rat but was not
- hydrotreated heavy considered treatment-related by the study authors. No other abnormalities
- paraffinic were observed in any male or female rats. (read-across: 64742-56-9) (OECD TG
- 401, GLP)(ECHA)
- Dermal administration of API 78-9 at 5000 mg/kg did not result in any dermal
- irritation or signs of clinical toxicity. Gross necropsy did not reveal any signs
- of systemic toxicity at the 5000 mg/kg dose level. (read-across: 64742-56-9)
- (OECD TG 402, GLP)(ECHA)
- Trade secret : Not available
- ar-Nonyl-N- : oral; rat(male/female); No compound related gross organ changes were

- (nonylphenyl)benzenamine : observed. LD50 > 5000 mg/kg bw, no deaths (OECD TG 401) (ECHA)
dermal; rat(male/female); Piloerection, abnormal body positions, and dyspnea were seen, being common symptoms in acute toxicity testing. The animals recovered within 9 days. LD50 > 2000 mg/kg bw (OECD TG 402) (ECHA)
inhalation: aerosol; rat(male/female); Necropsy and histopathological examination revealed no substance-related findings. LC50 > 5.1 mg/L air /4h, no deaths (OECD TG 403) (ECHA)
- Phosphorodithioic acid : oral; rat(male); Depression, diarrhea, reduced food intake. LD50 = 3100 mg/kg bw
O,O-bis(2-ethylhexyl) ester, (OECD TG 401) (ECHA)
zinc salt
 - Dodecyl phenol, sulfurized, : rat; vapour and aerosol inhalation; no mortalities or systemic toxic effects
carbonates, calcium salts, observed in rodent studies. LC50 >1.67 mg/L (OECD TG 403) (NICNAS)
overbased
 - Phosphorodithioic acid : Significant effects not observed. (ECHA)
O,O-dialkyl(C=1-14) esters
zinc salts

○ **Specific target organ toxicity (repeated exposure) : Not classified**

- Distillates (petroleum), : Dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the
hydrotreated heavy rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed
paraffinic at this dose level. (read-across : 64742-53-6) (OECD TG 410, GLP) (ECHA)
Inhalation; rat; 4 weeks; 0, 50, 220 or 1000 mg/m³; No systemic effects were
observed. The NOAEL for lung changes associated with oil deposition in the
lungs was 220 mg/m³. As no systemic toxicity was observed, the overall NOAEL
for systemic effects was > 980 mg/m³. (equivalent or similar to guideline OECD
TG 412) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N- : oral; rat(male); 28 days; Based on the absence of clinical findings and effects on
(nonylphenyl)benzenamine body weight, dose levels of 100, 300 and 1000 mg/kg bw were chosen for
subchronic dosing. (ECHA)
- Phosphorodithioic acid : oral; rat(male/female); 10, 50, 125, 250, 500 mg/kg/day; 28 days;
O,O-bis(2-ethylhexyl) ester, NOAEL(systemic toxicity)=125 mg/kg bw/day (OECD TG 407, GLP) (ECHA)
zinc salt
- Dodecyl phenol, sulfurized, : oral; rat; 90days; 125, 250, 500 or 1000 mg/kg bw/day; There was no mortality
carbonates, calcium salts, or any effect noted in clinical observations or from serum chemistry. There
overbased were no effects noted in gross pathology, organ weights or test substance
related microscopic findings from histopathology. NOAEL=1000 mg/kg
bw/day(OECD TG 408) (NICNAS)
- Phosphorodithioic acid : Sprague-Dawley female rats were treated with Quat-Silsesquioxane in the
O,O-dialkyl(C=1-14) esters concentration of 0, 100, 300, or 1000 mg/kg/day orally by gavage in corn oil.No
zinc salts maternal mortality and clinical signs or behavioral changes were observed in
treated female rats as compared to control. NOAEL(P)=300 mg/kg bw,
NOAEL(F1)=1000 mg/kg bw (read across : Quaternary Silsesquioxane)(ECHA)

○ **Aspiration hazard : Not classified**

- Distillates (petroleum), : Viscosity: 73.9 mm²/s (40°C)(ECHA) & hydrocarbons
hydrotreated heavy
paraffinic

- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : 585 mPa.s at 40°C (ECHA) & not hydrocarbons
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 131.6 cSt at 40°C (ECHA) & not hydrocarbons
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Viscosity: > 9 - < 15 mm²/s (100°C; OECD TG 114)(ECHA) & not hydrocarbons

12. ECOLOGICAL INFORMATION

1) Ecotoxicity

- Acute toxicity : Not classified (ATEmix>1mg/L)
- Chronic toxicity : Not classified

○ Acute (short-term) aquatic hazard:

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : No toxic effects up to the limit of water solubility (< 5 µg/L)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 96h-LL50(Oncorhynchus mykiss) = 4.4 mg/L (OECD TG 203, GLP) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : 96h-LL50(Pimephales promelas) > 1000 mg/L (read across: 122384-85-4) (OECD TG 203) (OECD SIDS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.00000000005072 mg/L at 25° C)(ECHA)

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L (read across : 64742-53-6 or 64741-97-5) (equivalent or similar to guideline OECD TG 202) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : No toxic effects up to the limit of water solubility (< 5 µg/L)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 48h-EL50(Daphnia magna) = 75 mg/L (OECD TG 202, GLP) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : 48h-LL50(Daphnia magna) > 1000 mg/L (read across: 122384-85-4) (OECD TG 202) (OECD SIDS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.00000000005072 mg/L at 25° C)(ECHA)

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : No toxic effects up to the limit of water solubility (< 5 µg/L)

- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 72h-ErL50(*Desmodesmus subspicatus*) = 410 mg/L (OECD TG 201, GLP) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : 96h-LL50(*Pseudokirchneriella subcapitata*) > 1000 mg/L (read across: 122384-85-4) (OECD TG 201) (OECD SIDS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.000000000005072 mg/L at 25° C)(ECHA)

○ **Chronic (Long-term) aquatic hazard:**

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(*Daphnia magna*)=10 mg/L (read across: 64742-53-6) (equivalent or similar to guideline OECD TG 211, GLP) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 28d-NOEC(*Daphnia magna*) = 0.4 mg/L (OECD TG 211, GLP) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOEL(*Pseudokirchnerella subcapitata*) >= 100 mg/L (read across: 72623-87-1) (OECD TG 201) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available

2) Persistence and degradability

○ **Persistence**

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : log Kow=12.24 (estimated) (EPISUITE); not valid (over -4<log Kow<8)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : log Kow = 3.59 (22 °C, pH:ca. 5) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : the octanol-water partition coefficient for these substances is high (log Kow > 6.6, measured). (OECD SIDS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : log Kow=14.876 (estimated)(EPISUITE); not valid (over -4<log Kow < 8)(ECHA)

○ **Degradability**

- Distillates (petroleum), hydrotreated heavy paraffinic : The chemical constituents that comprise the other lubricant base oils category consist entirely of carbon and hydrogen and do not contain hydrolyzable groups. As such, they have a very low potential to hydrolyze. Therefore, this degradative process will not contribute to

their removal from the environment. (ECHA)

- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : In contact with water no hydrolysis is expected. (ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : They do not undergo hydrolysis. (OECD SIDS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available

3) Bioaccumulative potential

○ Bioaccumulation

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : BCF=35.87 (estimated) (EPISUITE)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : BCF=448.2 (estimated) (EPISUITE)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : BCF=3.162 (estimated)(EPISUITE)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : BCF=3.162(ECHA)

○ Biodegradation

- Distillates (petroleum), hydrotreated heavy paraffinic : Another lubricant base oil, Solvent Neutral 600 Base Oil (MRD-94 -981), was determined to be inherently biodegradable but not readily biodegradable with a mean degradation of 31.13% by day 28. (read across: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP) (ECHA)
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : 1% degradation after 28 days; under test conditions no biodegradation observed (OECD TG 301B, GLP) (read across: TK12340) (ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : < 5% degradation after 27 days; no biodegradation observed (OECD TG 301D) (ECHA)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : It can be concluded that the substances that are members of the category(Combined Alkyl Phenol Sulfide and Alkyl Phenate Sulfide category) do not readily biodegrade. (OECD SIDS) 4.7~13.4% degradation after 28 days (read across: CAS # 122384-85-4) (OECD TG 301B) (OECD SIDS)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 0% degradation after 28 days (Not biodegradable) (read across : Didecyl dimethyl ammonium chloride) (OECD TG 301C)(ECHA)

4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Koc=44900000 (EPISUITE)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Koc=495900 (EPISUITE)
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Koc=361500000000 (EPISUITE)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Koc=3268000000

5) Hazard to the ozone layer

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Not available

2) Special precaution for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

1) UN No.

- Not applicable

2) Proper shipping name

- Not applicable

3) Transport hazard class(es)

- Not applicable

4) Packing group

- Not applicable

5) Marine pollutant

- Not applicable

6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- Transport regulations according to ADR/RID, AND, IMDG and ICAO/IATA : Not applicable

15. REGULATORY INFORMATION

EINECS(or ELINCS)

- Distillates (petroleum), hydrotreated heavy paraffinic : European EINECS phase-in substance
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : European EINECS phase-in substance
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : European EINECS phase-in substance
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : European EINECS phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : European EINECS phase-in substance

EU CLP (CLASSIFICATION) - PRODUCT : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable

- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

Substances restricted under REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Substances restricted under REACH
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

Substances subject to authorization under REACH

REACH SVHC List

Korea

○ Occupational Safety and Health Act

- Distillates (petroleum), hydrotreated heavy paraffinic : Substance subject to occupational exposure limits, Harmful agents subject to work environment monitoring, Harmful agents subject to workers requiring health examination
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Hazardous substance subject to control
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Hazardous substance subject to control

○ K-REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ Chemical Control Act in Korea

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : List of substance subjected to the PRTR
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : List of substance subjected to the PRTR

○ Safety Control of Dangerous Substances Act

- Distillates (petroleum), hydrotreated heavy paraffinic : Dangerous substance
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

U.S.A

○ US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ CERCLA Designation of hazardous substances (40 CFR 302.4)

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ CERCLA Section 302 regulation

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ CERCLA Section 304 regulation

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ CERCLA Section 313 regulation

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ California Proposition 65

- This product can expose you to chemicals including Benzene, Ethylbenzene, Chrysene, Naphthalene, Benz(a)anthracene, and Cumene, which are known to the State of California to cause cancer, and Toluene and n-Hexane, which are known to the State of California to cause birth defects or other reproductive harm.

International Convention on Environment

○ Rotterdam Convention list

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable

- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ **Stockholm Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ **Montreal Protocol list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

National Inventory

○ **Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

○ **U.S.A**

- Distillates (petroleum), hydrotreated heavy paraffinic : US TSCA phase-in substance
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : US TSCA phase-in substance
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : US TSCA phase-in substance
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : US TSCA phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : US TSCA phase-in substance

○ **China**

- Distillates (petroleum), hydrotreated heavy paraffinic : China phase-in substance
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : China phase-in substance
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : China phase-in substance
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : China phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : China phase-in substance

○ **Japan**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Japan ENCS phase-in substance
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Japan ENCS phase-in substance
- Dodecyl phenol, sulfurized, carbonates, calcium salts, overbased : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

16. OTHER INFORMATION

1) Reference

- Sources of information used in preparing this SDS included one or more of the following: Internal technical data, data from OECD eChemPortal, ECHA, NITE, TOXNET, IPCS and KOSHA search results.

2) Issue Date

- 2025-06-30

3) Revision number and Last date revised

- **Number of revised**
 - 1
- **Date of last revision**
 - 2025-12-08
- **Last Revision History**
 - Revision of chemical composition and company information

4) Other

- The information contained in the Safety Data Sheet is at the date of its issuance to the best of our knowledge correct according to the data available to us. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.