



SDS (Safety Data Sheet)

Product	AISIN gearTECH+ GL-5 75W-90		
SDS Number	AISIN Part Number	Issuing date	Last revised date
ADS#29226	GSL57591PC	2012-11-30	2026-02-23

1. IDENTIFICATION

1) Product name

AISIN gearTECH+ GL-5 75W-90

2) Recommended use of the chemical and restriction on use

- Recommended use Lubricants
- Restrictions on use Do not use for any other purpose.

3) Details of the supplier of the safety data sheet

○ Manufacturer

- Company name AISIN Aftermarket & Service of America
- Address 19801 Vermont Ave, Torrance, CA 90502 U.S.A.
- Emergency telephone number:
CHEMTREC: +1-800-424-9300 - DOMESTIC
+1-202-4X83-7616 - INTERNATIONAL

2. HAZARDS IDENTIFICATION

1) Classification of the product

- Not applicable

2) Label elements

- Hazard pictograms
- Not applicable
- Signal word
- Not applicable
- Hazard statements
- Not applicable
- Precautionary statements
 - 1) Prevention
 - Not applicable
 - 2) Response
 - Not applicable
 - 3) Storage
 - Not applicable
 - 4) Disposal
 - Not applicable

3) Other hazards

- **Product NFPA Level**

(※ 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

Product name	Health	Flammable	Reaction
AISIN gearTECH+ GL-5 75W-90	0	1	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic	Emulsifiable oil	64742-54-7	265-157-1	87 ~ 94
Di-tert-butyl polysulfides	Polysulfides,di-tert-Bu	68937-96-2	273-103-3	2 ~ 3
2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole	Amoco 158	89347-09-1	289-493-3	0.1 ~ 1
Phosphoric acid dipentyl ester	DI-N-AMYLPHOSPHATE	3138-42-9	221-537-9	0.1 ~ 1
tert-Alkyl(C=12-14) amines	C12-14-tert-ALKYL AMINES	68955-53-3	273-279-1	0.1 ~ 1
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Mineral oil, petroleum distillates, solvent dewaxed heavy paraffinic (severe solvent-refining and/or hydrotreatment) ; Solvent dewaxed heavy paraffinic distillate;Adriatic spindle oil	64742-65-0	265-169-7	0 ~ 1
Oleylamne	Armeen O	112-90-3	204-015-5	0 ~ 0.2
Phosphoric acid monopentyl ester	Amyl dihydrogen phosphate	2382-76-5	219-188-2	0 ~ 0.2

※ Except for the above components, all components are not listed as they do not meet the criteria for hazardous risk classification in Article 104 (Classification of Hazardous Factors) of Regulated Acts and Occupational Safety and Health Act.

※ This product has less than 3% DMSO extract as measured by the IP346 method.

4. FIRST AID MEASURES

1) Eye contact

- In case of contact with material, immediately flush eyes with running water for at least 15 minutes.
- If eye irritation persists: Get medical advice/attention.

2) Skin contact

- In case of contact with material, immediately flush skin with running water for at least 15 minutes.
- Remove and isolate contaminated clothing and shoes.
- Launder contaminated clothing and shoes before re-use.
- If skin irritation occurs: Get medical advice/attention.

- | | |
|--|---|
| 3) Inhalation | <ul style="list-style-type: none"> - Move victim to fresh air. - Give artificial respiration if victim is not breathing. - Administer oxygen if breathing is difficult. - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. |
| 4) Ingestion | <ul style="list-style-type: none"> - If unconscious but breathing, never give anything by mouth - If swallowed do not induce vomiting, seek medical advice immediat. - Get immediate medical advice/attention. - Rinse mouth. |
| 5) Indication of any immediate medical attention and special treatment needed | <ul style="list-style-type: none"> - Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |

5. FIRE FIGHTING MEASURES

- | | |
|---|--|
| 1) Suitable (and unsuitable) extinguishing media | <ul style="list-style-type: none"> - Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO2 (Suitable extinguishing media) - Large fire: Water spray/fog, regular foam (Suitable extinguishing media) - High-pressure water (Unsuitable extinguishing media) |
| 2) Special hazards arising from the substance or mixture | <ul style="list-style-type: none"> - May be ignited by heat, sparks or flames. - Fire may produce irritating and/or toxic gases. - May cause toxic effects if inhaled. |
| 3) Special protective equipment and precautions for firefighters | <ul style="list-style-type: none"> - Substance may be transported hot. - Runoff may cause pollution. - Contact may cause burns to skin and eyes. - Dike fire-control water for later disposal; do not scatter the material. - Move containers from fire area if you can do it without risk. - Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out. - Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. - Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire. |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|--|---|
| 1) Health considerations and protective equipment | <ul style="list-style-type: none"> - Do not touch or walk through spilled material. - ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). - Ventilate the contaminated area. - Stop leak if you can do it without risk. - Prevent dust cloud. - Please note that materials and conditions to be avoided. |
|--|---|

- 2) Environmental precautions** - Prevent entry into waterways, sewers, basements or confined areas.
- 3) Methods and material for containment and cleaning up**
- Small Spill: Flush area with flooding quantities of water.
 - Large Spill: Dike far ahead of liquid spill for later disposal.
 - With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
 - Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
 - Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

7. HANDLING AND STORAGE

- 1) Precautions for safe handling**
- Wash ... thoroughly after handling.
 - Please note that materials and conditions to be avoided.
 - Handling refer to engineering control/personal protection section.
 - Caution: High temperature
- 2) Conditions for safe storage (including any incompatibilities)**
- Store in a dry place. Store in a closed container.
 - Please note that materials and conditions to be avoided.
 - Store in a closed container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

1) Control parameters

Chemical name	Exposure limits	ACGIH TLV	OSHA PEL	Biological limit values(BLV)
Distillates (petroleum), hydrotreated heavy paraffinic	TWA :Not available	TWA 5 mg/m ³ , Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
Di-tert-butyl polysulfides	Not available	Not available	Not available	Not available
2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole	Not available	Not available	Not available	Not available
Phosphoric acid dipentyl ester	Not available	Not available	Not available	Not available
tert-Alkyl(C=12-14) amines	Not available	Not available	Not available	Not available

Distillates (petroleum), solvent-dewaxed heavy paraffinic	TWA :Not available	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
Oleylamne	Not available	Not available	Not available	Not available
Phosphoric acid monopentyl ester	Not available	Not available	Not available	Not available

2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
- Adjust the ventilation rate to suit the condition.

3) Personal protection equipment

- **Respiratory protection**
 - Wear a adequate respiratory protection equipment with certificate by considering physicochemical properties of exposed particulate material.
 - In case exposed to particulate material, the respiratory protective equipments as follow are recommended. - facepiece filtering respirator or air-putifying respirator, high-efficiency particulate air(HEPA) filter media or resporator equipped with power
 - In lack of oxigan(<19.6%), wear the supplied-air respirator or self-contained breathing apparatus.
 - Consider the warning characteristics beforehand.
- **Eye protection**
 - Wear breathable safety goggles to protect from material causing eye irritation or other disorder.
 - An eye wash unit and safety shower station should be available nearby work place.
 - In case of direct exposure or potential exposure to the substance, wear safety glasses for chemicals approved in the country.
- **Hand protection**
 - Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
 - In case of direct exposure or potential exposure to the substance, wear safety gloves for chemicals approved in the country.
- **Body protection**
 - Wear appropriate protective clothing by considering physical and chemical properties of chemicals.
 - In case of direct exposure or potential exposure to the substance, wear protective clothing for chemicals approved in the country.

9. PHYSICAL AND CHEMICAL PROPERTIES

Item	Input Value
Apperance	Liquid
Color	No Data
Smell	a specific smell of Hydrocarbon
Smell Threshold	No Data

pH (Numerical value)	No Data
Melting/Freezing Point	No Data
Boiling Point	No Data
Flash Point	223 °C
Evaporating Rate	No Data
Flammability(Solid, Gas)	No Data
Explosibility Range	No Data
Steam Pressure	No Data
Solubility	No Data
Vapor Density	No Data
Specific Gravity	0.87
Distribution Coefficient	No Data
Selfignition Temperature	No Data
Pyrolysis Temperature	No Data
Viscosity	86 mm ² /s (at 40°C)
Molecular Weight	No Data

10. STABILITY AND REACTIVITY

- 1) **Chemical Stability and hazardous reactivity**
 - Stable under normal temperatures and pressures.
 - Containers may explode when heated.
 - Some may burn but none ignite readily.
- 2) **Conditions to avoid**
 - Ignition source(heat, spark, flame)
- 3) **Incompatible materials**
 - Combustibles
 - Irritating and/or toxic gas
- 4) **Hazardous decomposition products** - Not available

11. TOXICOLOGICAL INFORMATION

1) Information on the likely routes of exposures

- ☐ **Inhalation**
 - No inhalation effects through respiratory system.
- ☐ **Skin contact**
 - No effect on skin contact.
- ☐ **Eye contact**

- No effect on eye contact.

○ Ingestion

- No ingestion effect through mouth.

2) Health hazard information

○ Acute toxicity

* Oral - Not classified (ATEmix > 2000 mg/kg)

- Distillates (petroleum), hydrotreated heavy paraffinic : rat(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 401, GLP) (ECHA)
- Di-tert-butyl polysulfides : rat; LD50 > 5,000 mg/kg bw (equivalent or similar to guideline EPA OPP 81-1, GLP) (ECHA)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : rat(male/female); LD50 > 10000 mg/kg, no deaths (OECD TG 401) (HPVIS)
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : Rat(Female/Male); LD50 = 612 mg/kg (OECD TG 401, GLP)(HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
- Oleylamine : rat(male/female); LD50 = 1689 mg/kg bw (OECD TG 401) (NICNAS)
- Phosphoric acid monopentyl ester : Not available

* Dermal - Not classified (ATEmix > 2000 mg/kg)

- Distillates (petroleum), hydrotreated heavy paraffinic : rabbit(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 402, GLP) (ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : rabbit(male/female); LD50 > 20000 mg/kg, no deaths (OECD TG 402) (HPVIS)
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : rat(male/female); LD50 = 251 mg/kg (OECD TG 402, GLP)(HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

* Inhalation(Gas) - Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

* Inhalation(Vapour) - Not classified (ATEmix > 20 mg/L)

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : rat(male/female); inhalation: vapour; LC50 > 2.75 mg/L, no deaths (OECD TG 403) (HPVIS)
- Phosphoric acid dipentyl ester : Not available

- tert-Alkyl(C=12-14) amines : Rat(Female/Male); inhalation: Vapours, LC50 > 0.94 mg/L 4h (OECD TG 403, GLP) (HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

*** Inhalation(Dust, mist) - Not classified (ATEmix > 5 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : inhalation: aerosol; rat(male/female); 4h-LC50 > 5.53 mg/L. No deaths (read-across: MRD-87-102) (OECD TG 403)(ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); inhalation: aerosol; LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

○ Skin corrosion/Irritation : Not classified

- Distillates (petroleum), hydrotreated heavy paraffinic : Solvent dewaxed light paraffinic oil is not considered to be irritating to the skin of rabbits. (read across : 64742-56-9) (GLP) (ECHA)
- Di-tert-butyl polysulfides : rabbit; not irritating (OECD TG 404) (ECHA)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : Rabbit; corrosive (GLP)(HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit; not irritating (GLP) (read across: 64742-56-9) (ECHA)
- Oleylamine : In two studies performed in accordance with OECD TG 404, (Z)-octadec-9-enylamine (CAS No. 112-90-3) was corrosive to intact rabbit skin when applied for four hours. Average scores for erythema and oedema were 4.0 in both studies after 24 hours. Corrosive effects were noted in both studies and one study was terminated after 24 hours for humane reasons. (OECD TG 404) (NICNAS)
- Phosphoric acid monopentyl ester : Not available

○ Serious eye damage/irritation : Not classified

- Distillates (petroleum), hydrotreated heavy paraffinic : Solvent dewaxed light paraffinic oil is not considered to be an ocular irritant. (read-across: 64742-56-9) (equivalent or similar to guideline OECD TG 405, GLP) (ECHA)
- Di-tert-butyl polysulfides : rabbit; minimally irritating (OECD TG 405, GLP) (ECHA)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available

thiadiazole

- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : Rabbit; serious damage to eyes (Draize Test, GLP) (EPA HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit; not irritating (OECD TG 405, GLP) (read across: 64742-56-9) (ECHA)
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

○ **Respiratory sensitization : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

○ **Skin sensitization : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Under the conditions of the test, Solvent dewaxed light paraffinic oil is considered non-sensitizing for guinea-pigs. (read-across: 64742-56-9) (OECD TG 406, GLP) (ECHA)
- Di-tert-butyl polysulfides : guinea pig; sensitizing (OECD TG 406, GLP) (ECHA)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : guinea pig; Not sensitizing (OECD TG 406, GLP) (HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : guinea pig; not sensitising (OECD TG 406, GLP) (read across: 64742-53-6) (ECHA)
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

○ **Carcinogenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Di-tert-butyl polysulfides : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Phosphoric acid dipentyl ester : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- tert-Alkyl(C=12-14) amines : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Oleylamine : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Phosphoric acid monopentyl ester : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed

○ **Germ cell mutagenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : In vitro bacterial reverse mutation assay: negative (equivalent or similar to guideline OECD TG 471) (ECHA)
In vitro mammalian chromosome aberration test: negative (read-across : 64742-53-6) (equivalent or similar to guideline OECD TG 473, GLP) (ECHA)
In vivo micronucleus assay : negative (read-across : 64741-62-4, 64741-53-3) (equivalent or similar to guideline OECD TG 474) (ECHA)
- Di-tert-butyl polysulfides : In vitro bacterial reverse mutation assay : negative (OECD TG 471, GLP) (ECHA)
In vitro Mammalian Cell Micronucleus Test : negative (OECD TG 487, GLP) (ECHA)
In vivo : not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : In vitro Bacterial reverse mutation assay : negative (OECD TG 471, GLP) (HPVIS),
in vitro mammalian chromosome aberration test : negative (OECD TG 473) (HPVIS)
In vivo : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : In vitro bacterial reverse mutation assay: negative (OECD TG 471, GLP) (EPA HPVIS)
In vivo Mouse(Female/Male) Bone Marrow Chromosome Aberration Test: negative (OECD TG 474, GLP) (EPA HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : In vitro Bacterial Reverse Mutation Assay : positive (OECD TG 471) (read across: 64741-50-0) (ECHA), In Vitro Mammalian Chromosome Aberration Test : negative (OECD TG 473) (read across: L-06 Light Hydrotreated Feedstock) (ECHA)
In vivo Mammalian Erythrocyte Micronucleus Test : negative (OECD TG 474) (read across: solvent-extracted, dewaxed paraffin oil) (ECHA)
- Oleylamine : In vitro bacterial reverse mutation assay : negative (NICNAS), In vitro Mammalian Cell Gene Mutation Test : negative (OECD TG 476) (NICNAS)

in vivo chromosomal damage in mouse bone marrow cells : negative (NICNAS)

- Phosphoric acid : Not available
monopentyl ester

○ **Reproductive toxicity : Not classified**

- Distillates (petroleum), : rat; screening for reproductive / developmental toxicity; Reproductive
hydrotreated heavy performance was not adversely affected at any dose level evaluated. There were
paraffinic no neonatal toxicity observed at any dose level. There were no differences in
terms of systemic toxicity between either of the dose formulations. (read-across :
Chevron 100 Neutral) (OECD TG 421, GLP) (ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert- : rat(male/female); 0, 10, 80 and 640 ppm; No significant differences were found
nonyldithio)-1,3,4- between the control and test article treated animals in fertility, gestation,
thiadiazole viability, or lactation indices, or in mean numbers of offspring born and
weaned/litter. (HPVIS)
- Phosphoric acid dipentyl : Not available
ester
- tert-Alkyl(C=12-14) amines : rat(male/female); one-generation reproduction toxicity study; 10weeks; 250, 750,
1500 ppm; NOEL(parental toxicity) = 250 ppm due to decreased pup weights at
both 750 and 1500 ppm (OECD TF 415, GLP)(HPVIS)
- Distillates (petroleum), : rat(male/female); 1000 mg/kg/day; Reproduction / Developmental Toxicity
solvent-dewaxed heavy Screening Test; Reproductive performance was not adversely affected at any
paraffinic dose level evaluated. There were no neonatal toxicity observed at any dose
level. There were no differences in terms of systemic toxicity between either of
the dose formulations. (OECD TG 421, GLP) (read across: Chevron 100 Neutral)
(ECHA)
- Oleylamine : In an oral 28-day study in rats with (Z)-octadec-9-enylamine (CAS No. 112-90-
3), histopathological examination of the testes, epididymides, seminal vesicles,
ovaries (including oviducts), and uteri did not show chemical-related effects up
to a dose of 50 mg/kg bw/day (EU RAR, 2008). (NICNAS)
- Phosphoric acid : Not available
monopentyl ester

○ **Specific target organ toxicity (single exposure) : Not classified**

- Distillates (petroleum), : Hydronephrosis of the right kidney was observed in one rat but was not
hydrotreated heavy considered treatment-related by the study authors. No other abnormalities
paraffinic were observed in any male or female rats. (read-across: 64742-56-9) (OECD TG
401, GLP)(ECHA)
Dermal administration of API 78-9 at 5000 mg/kg did not result in any dermal
irritation or signs of clinical toxicity. Gross necropsy did not reveal any signs
of systemic toxicity at the 5000 mg/kg dose level. (read-across: 64742-56-9)
(OECD TG 402, GLP)(ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert- : Not available
nonyldithio)-1,3,4-
thiadiazole
- Phosphoric acid dipentyl : Not available

ester

- tert-Alkyl(C=12-14) amines : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : oral; rat(male/female); No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
dermal; rabbit(male/female); No visible signs of clinical toxicity were observed in male and female rabbits dosed with API 78-9 at 5000 mg/kg. LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
inhalation: aerosol; rat(male/female); The test material which was deposited on the animal fur during exposure diminished by observation Day 10. No mortality in either the control or exposed group was reported. There were no statistically significant differences in mean body weight between groups. LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

○ **Specific target organ toxicity (repeated exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (read-across : 64742-53-6) (OECD TG 410, GLP) (ECHA)
Inhalation; rat; 4 weeks; 0, 50, 220 or 1000 mg/m³; No systemic effects were observed. The NOAEL for lung changes associated with oil deposition in the lungs was 220 mg/m³. As no systemic toxicity was observed, the overall NOAEL for systemic effects was > 980 mg/m³. (equivalent or similar to guideline OECD TG 412) (ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : rat(male/female); oral; 0, 50, 200, 1000 mg/kg/day; 28 days; No treatment related macroscopic finding were evident following 4 weeks of treatment or two weeks of recovery. NOAEL=50 mg/kg/day (OECD TG 407, GLP) (HPVIS)
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : rat(male/female); inhalation : vapor; 4weeks; 2, 19, 129, 537 mg/m³; NOAEL = 19 mg/m³; At the end of the four-week exposure period, neurological evaluations of all surviving animals showed no signs of a cumulative toxic effect on the nervous system in any group (OECD TG 412, GLP)(HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit(male/female); dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (OECD TG 410, GLP) (read across: 64742-53-6) (ECHA)
- Oleylamine : oral; The unscheduled deaths and adverse treatment related effects that were observed in these studies were similar to the OECD compliant study. Additional adverse effects included disturbance of lipid metabolism, thymus atrophy and atrophy of the spleen. (NICNAS)
- Phosphoric acid monopentyl ester : Not available

○ **Aspiration hazard : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Viscosity: 73.9 mm²/s (40°C)(ECHA) & hydrocarbons
- Di-tert-butyl polysulfides : 5.01 mm²/s (40°C) (OECD TG 114, GLP) (ECHA) & not hydrocarbons
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 52.1 mm²/s (40°C) & hydrocarbons
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

12. ECOLOGICAL INFORMATION

1) Ecotoxicity

- Acute toxicity : Not classified (ATEmix>1mg/L)
- Chronic toxicity : Not classified

○ **Acute (short-term) aquatic hazard:**

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : 96h-LC50(Pimephales promelas) > 1000 mg/L (GLP) (HPVIS)
- Phosphoric acid dipentyl ester : 96h-LC50(Fish) = 14.128 mg/L (estimated) (ECOSAR Class: Neutral Organics) (ECOSAR)
- tert-Alkyl(C=12-14) amines : 96h-LC50(Oncorhynchus mykiss) = 1.3 mg/L (OECD TG 203, GLP)(HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Oleylamine : No toxic effects occur within the range of water solubility. (ECOSAR)
- Phosphoric acid monopentyl ester : 96h-LC50(Fish) = 650.555 mg/L (estimated) (ECOSAR Class: Neutral Organics) (ECOSAR)

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L (read across : 64742-53-6 or 64741-97-5) (equivalent or similar to guideline OECD TG 202) (ECHA)
- Di-tert-butyl polysulfides : 48h-EL50(Daphnia magna) = 63 mg/L (OECD TG 202, GLP) (ECHA)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : 48h-EC50(Daphnia) > 1 mg/L (OECD TG 202, GLP) (HPVIS)
- Phosphoric acid dipentyl ester : 48h-LC50(Daphnid) = 9.021 mg/L (estimated) (ECOSAR Class: Neutral Organics) (ECOSAR)
- tert-Alkyl(C=12-14) amines : 48h-EC50(Daphnia magna) = 4.1 mg/L (OECD TG 202, GLP)(HPVIS)

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 48h-EL50(*Daphnia magna*) > 10000 mg/L (OECD TG 202) (ECHA)
- Oleylamne : No toxic effects occur within the range of water solubility. (ECOSAR)
- Phosphoric acid monopentyl ester : 48h-LC50(*Daphnid*) = 344.693 mg/L (estimated) (ECOSAR Class: Neutral Organics) (ECOSAR)

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Di-tert-butyl polysulfides : 72h-ErL50(*Raphidocelis subcapitata*) > 100 mg/L (OECD TG 201, GLP) (ECHA)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : 72h-ErC50(*Pseudokirchnerella subcapitata*) > 1 mg/L (OECD TG 201, GLP) (HPVIS)
- Phosphoric acid dipentyl ester : 96h-ErC50(*Green Algae*) = 10.917 mg/L (estimated) (ECOSAR Class: Neutral Organics) (ECOSAR)
- tert-Alkyl(C=12-14) amines : 72h-ErC50(*Selenastrum capricornutum*) = 0.2 mg/L (OECD TG 201, GLP)(HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Oleylamne : 96h-ErC50(*Green Algae*) = 0.000663 mg/L (estimated) (ECOSAR Class : Aliphatic Amines) (ECOSAR)
- Phosphoric acid monopentyl ester : 96h-ErC50(*Green Algae*) = 192.878 mg/L (estimated) (ECOSAR Class: Neutral Organics) (ECOSAR)

○ Chronic (Long-term) aquatic hazard:

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : 96d-NOErC(*Oncorhynchus mykiss*) = 0.078 mg/L (OECD TG 210, GLP)(HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Oleylamne : Not available
- Phosphoric acid monopentyl ester : Not available

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(*Daphnia magna*)=10 mg/L (read across: 64742-53-6) (equivalent or similar to guideline OECD TG 211, GLP) (ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 21d-NOEL(*Daphnia magna*) = 10 mg/L (OECD TG 211, GLP) (ECHA)
- Oleylamne : Not available
- Phosphoric acid monopentyl ester : Not available

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOErL(*Pseudokirchnerella subcapitata*) >= 100 mg/L (read across: 72623-87-1) (OECD TG 201) (ECHA)
- Di-tert-butyl polysulfides : 72h-NOELR(*Raphidocelis subcapitata*) > 100 mg/L (OECD TG 201, GLP) (ECHA)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available

- tert-Alkyl(C=12-14) amines : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) ≥ 100 mg/L (OECD TG 201) (ECHA)
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

2) Persistence and degradability

○ Persistence

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Di-tert-butyl polysulfides : log Kow = 6.2-7.3 (OECD TG 117, GLP) (ECHA)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : log Kow = 1.72 - 2.94 (21 °C) (OECD TG 107, GLP) (HPVIS)
- Phosphoric acid dipentyl ester : log Kow = 3.27 (estimated) (EPISUITE)
- tert-Alkyl(C=12-14) amines : log Kow = 4.65 (estimated)(EPISUITE)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : log Kow = 6.13 (experimental) (EPISUITE)
- Oleylamine : log Kow = 7.50 (estimated) (EPISUITE)
- Phosphoric acid monopentyl ester : log Kow = 1.25 (estimated) (EPISUITE)

○ Degradability

- Distillates (petroleum), hydrotreated heavy paraffinic : The chemical constituents that comprise the other lubricant base oils category consist entirely of carbon and hydrogen and do not contain hydrolyzable groups. As such, they have a very low potential to hydrolyze. Therefore, this degradative process will not contribute to their removal from the environment. (ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

3) Bioaccumulative potential

○ Bioaccumulation

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Di-tert-butyl polysulfides : BCF = 22.92 (estimated) (EPISUITE)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : BCF=15.71 (estimated) (EPISUITE)
- Phosphoric acid dipentyl ester : BCF = 10.01 (estimated) (EPISUITE)
- tert-Alkyl(C=12-14) amines : BCF = 31.94 (estimated)(EPISUITE)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : BCF = 5147 (estimated) (EPISUITE)
- Oleylamine : BCF = 1927 (estimated) (EPISUITE)
- Phosphoric acid monopentyl ester : BCF = 3.106 (estimated) (EPISUITE)

○ Biodegradation

- Distillates (petroleum), hydrotreated heavy paraffinic : Another lubricant base oil, Solvent Neutral 600 Base Oil (MRD-94 -981), was determined to be inherently biodegradable but not readily biodegradable with a mean degradation of 31.13% by day 28. (read across: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP) (ECHA)
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : 80% degradation after 14d (OECD TG 301C, GLP) (HPVIS)

- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : 22% degradation after 28days; not readily biodegradable (HPVIS)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 31 % degradation after 28d; not readily biodegradable (OECD TG 301F, GLP) (ECHA)
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Ready Biodegradation = 0.00 (estimated) (US Dashboard); 1: means the chemical is readily biodegradable and 0 means it is not

4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Di-tert-butyl polysulfides : Koc = 9816 (estimated) (EPISUITE)
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Koc = 2055000 (EPISUITE)
- Phosphoric acid dipentyl ester : Koc = 687.4 (EPISUITE)
- tert-Alkyl(C=12-14) amines : Koc = 2988 (estimated)(EPISUITE)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Koc=208800 (EPISUITE)
- Oleylamine : Koc = 112700 (EPISUITE)
- Phosphoric acid monopentyl ester : Koc = 52.46 (estimated) (EPISUITE)

5) Hazard to the ozone layer

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Di-tert-butyl polysulfides : Not available
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not available
- Phosphoric acid dipentyl ester : Not available
- tert-Alkyl(C=12-14) amines : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Oleylamine : Not available
- Phosphoric acid monopentyl ester : Not available

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Waste must be disposed of in accordance with federal, state and local environmental control regulation.

2) Special precaution for disposal

- Consider the required attentions in accordance with waste treatment management regulation.

14. TRANSPORT INFORMATION

1) UN No.

- Not applicable

2) Proper shipping name

- Not applicable

3) Transport hazard class(es)

- Not applicable

4) Packing group

- Not applicable

5) Marine pollutant

- Not applicable

6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- Transport regulations according to ADR/RID, AND, IMDG and ICAO/IATA : Not applicable

15. REGULATORY INFORMATION

EINECS(or ELINCS)

- Distillates (petroleum), hydrotreated heavy paraffinic : European EINECS phase-in substance
- Di-tert-butyl polysulfides : European EINECS phase-in substance
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : European EINECS phase-in substance
- Phosphoric acid dipentyl ester : European EINECS phase-in substance
- tert-Alkyl(C=12-14) amines : European EINECS phase-in substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : European EINECS phase-in substance
- Oleylamne : European EINECS phase-in substance
- Phosphoric acid monopentyl ester : European EINECS phase-in substance

EU CLP (CLASSIFICATION) - PRODUCT : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamne : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

Substances restricted under REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Substances restricted under REACH
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Substances restricted under REACH
- Oleylamne : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

Substances subject to authorization under REACH

REACH SVHC List

Korea

○ Occupational Safety and Health Act

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ K-REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ Chemical Control Act in Korea

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ Safety Control of Dangerous Substances Act

- Distillates (petroleum), hydrotreated heavy paraffinic : Dangerous substance
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

U.S.A

○ US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable

- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ **CERCLA Designation of hazardous substances (40 CFR 302.4)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ **CERCLA Section 302 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ **CERCLA Section 304 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ **CERCLA Section 313 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Oleylamine : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ **California Proposition 65**

- This product can expose you to chemicals including Ethyl acrylate and 2-ethylhexyl acrylate, which are known to the State of California to cause cancer.

International Convention on Environment

○ **Rotterdam Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable

- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Olefines : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ **Stockholm Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Olefines : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ **Montreal Protocol list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Olefines : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

National Inventory

○ **Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Not applicable
- tert-Alkyl(C=12-14) amines : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Olefines : Not applicable
- Phosphoric acid monopentyl ester : Not applicable

○ **U.S.A**

- Distillates (petroleum), hydrotreated heavy paraffinic : US TSCA phase-in substance
- Di-tert-butyl polysulfides : US TSCA phase-in substance
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : US TSCA phase-in substance
- Phosphoric acid dipentyl ester : US TSCA phase-in substance
- tert-Alkyl(C=12-14) amines : US TSCA phase-in substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : US TSCA phase-in substance
- Olefines : US TSCA phase-in substance
- Phosphoric acid monopentyl ester : US TSCA phase-in substance

○ **China**

- Distillates (petroleum), hydrotreated heavy paraffinic : China phase-in substance

- Di-tert-butyl polysulfides : China phase-in substance
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : China phase-in substance
- Phosphoric acid dipentyl ester : China phase-in substance
- tert-Alkyl(C=12-14) amines : China phase-in substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : China phase-in substance
- Oleylamine : China phase-in substance
- Phosphoric acid monopentyl ester : China phase-in substance

○ **Japan**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Di-tert-butyl polysulfides : Not applicable
- 2,5-Bis(tert-nonyldithio)-1,3,4-thiadiazole : Not applicable
- Phosphoric acid dipentyl ester : Japan ENCS phase-in substance
- tert-Alkyl(C=12-14) amines : Japan ENCS phase-in substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Japan ENCS phase-in substance
- Oleylamine : Japan ENCS phase-in substance
- Phosphoric acid monopentyl ester : Japan ENCS phase-in substance

16. OTHER INFORMATION

1) Reference

- Sources of information used in preparing this SDS included one or more of the following: Internal technical data, data from OECD eChemPortal, ECHA, NITE, TOXNET, IPCS and KOSHA search results.

2) Issue Date

- 2012-11-30

3) Revision number and Last date revised

- **Number of revised**
- 6
- **Date of last revision**
- 2026-02-23
- **Last Revision History**
- English revision

4) Other

- The information contained in the Safety Data Sheet is at the date of its issuance to the best of our knowledge correct according to the data available to us. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.