



SDS (Safety Data Sheet)

Product	AISIN gearTECH+ LSD GL-5 80W-90		
SDS Number	AISIN Part Number	Issuing date	Last revised date
ADS#29426	GSL5S8091PC	2012-11-30	2026-03-04

1. IDENTIFICATION

1) Product name

AISIN gearTECH+ LSD GL-5 80W-90

2) Recommended use of the chemical and restriction on use

- Recommended use Lubricants
- Restrictions on use Do not use for any other purpose.

3) Details of the supplier of the safety data sheet

○ Manufacturer

- Company name AISIN Aftermarket & Service of America
- Address 19801 Vermont Ave, Torrance, CA 90502 U.S.A.
- Emergency telephone number:
CHEMTREC: +1-800-424-9300 - DOMESTIC
+1-202-4X83-7616 - INTERNATIONAL

2. HAZARDS IDENTIFICATION

1) Classification of the product

- Not applicable

2) Label elements

- Hazard pictograms
- Not applicable
- Signal word
- Not applicable
- Hazard statements
- Not applicable
- Precautionary statements
 - 1) Prevention
 - Not applicable
 - 2) Response
 - Not applicable
 - 3) Storage
 - Not applicable
 - 4) Disposal
 - Not applicable

3) Other hazards

- **Product NFPA Level**

(※ 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

Product name	Health	Flammable	Reaction
AISIN gearTECH+ LSD GL-5 80W-90	0	1	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic	Emulsifiable oil	64742-54-7	265-157-1	80 ~ 85
Trade secret				7 ~ 9
Polyisobutylene	Propene, 2-methyl-, polymers	9003-27-4		7 ~ 10
Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide				1 ~ 2
Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl				1 ~ 2
Alkenylamine				0 ~ 0.8
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol		91648-65-6	293-927-7	0 ~ 0.5
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Mineral oil, petroleum distillates, solvent dewaxed heavy paraffinic (severe solvent-refining and/or hydrotreatment) ; Solvent dewaxed heavy paraffinic distillate;Adriatic spindle oil	64742-65-0	265-169-7	0 ~ 0.5

※ Except for the above components, all components are not listed as they do not meet the criteria for hazardous risk classification in Article 104 (Classification of Hazardous Factors) of Regulated Acts and Occupational Safety and Health Act.

※ This product has less than 3% DMSO extract as measured by the IP346 method.

4. FIRST AID MEASURES

1) Eye contact

- In case of contact with material, immediately flush eyes with running water for at least 15 minutes.

- If eye irritation persists: Get medical advice/attention.
- 2) Skin contact**
 - In case of contact with material, immediately flush skin with running water for at least 15 minutes.
 - Remove and isolate contaminated clothing and shoes.
 - Launder contaminated clothing and shoes before re-use.
 - If skin irritation occurs: Get medical advice/attention.
- 3) Inhalation**
 - Move victim to fresh air.
 - Give artificial respiration if victim is not breathing.
 - Administer oxygen if breathing is difficult.
 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
- 4) Ingestion**
 - If unconscious but breathing, never give anything by mouth
 - If swallowed do not induce vomiting, seek medical advice immediat.
 - Get immediate medical advice/attention.
 - Rinse mouth.
- 5) Indication of any immediate medical attention and special treatment needed**
 - Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE FIGHTING MEASURES

- 1) Suitable (and unsuitable) extinguishing media**
 - Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO2 (Suitable extinguishing media)
 - Large fire: Water spray/fog, regular foam (Suitable extinguishing media)
 - High-pressure water (Unsuitable extinguishing media)
- 2) Special hazards arising from the substance or mixture**
 - May be ignited by heat, sparks or flames.
 - Fire may produce irritating and/or toxic gases.
 - May cause toxic effects if inhaled.
- 3) Special protective equipment and precautions for firefighters**
 - Substance may be transported hot.
 - Runoff may cause pollution.
 - Contact may cause burns to skin and eyes.
 - Dike fire-control water for later disposal; do not scatter the material.
 - Move containers from fire area if you can do it without risk.
 - Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out.
 - Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
 - Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.

6. ACCIDENTAL RELEASE MEASURES

- 1) Health considerations and** - Do not touch or walk through spilled material.

protective equipment

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Ventilate the contaminated area.
- Stop leak if you can do it without risk.
- Prevent dust cloud.
- Please note that materials and conditions to be avoided.

2) Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

3) Methods and material for containment and cleaning up

- Small Spill: Flush area with flooding quantities of water.
- Large Spill: Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
- Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

7. HANDLING AND STORAGE**1) Precautions for safe handling**

- Wash ... thoroughly after handling.
- Please note that materials and conditions to be avoided.
- Handling refer to engineering control/personal protection section.
- Caution: High temperature

2) Conditions for safe storage (including any incompatibilities)

- Store in a dry place. Store in a closed container.
- Please note that materials and conditions to be avoided.
- Store in a closed container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**1) Control parameters**

Chemical name	Exposure limits	ACGIH TLV	OSHA PEL	Biological limit values(BLV)
Distillates (petroleum), hydrotreated heavy paraffinic	TWA :Not available	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
Trade secret	Not available	Not available	Not available	Not available
Polyisobutylene	Not available	Not available	Not available	Not available

Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P ₂ O ₅), phosphorus sulfide(P ₂ S ₅) and propylene oxide	Not available	Not available	Not available	Not available
Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl	Not available	Not available	Not available	Not available
Alkenylamine	Not available	Not available	Not available	Not available
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	Not available	Not available	Not available	Not available
Distillates (petroleum), solvent-dewaxed heavy paraffinic	TWA :Not available	TWA 5 mg/m ³ , Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available

2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
- Adjust the ventilation rate to suit the condition.

3) Personal protection equipment

- **Respiratory protection**
 - Wear a adequate respiratory protection equipment with certificate by considering physicochemical properties of exposed particulate material.
 - In case exposed to particulate material, the respiratory protective equipments as follow are recommended. - facepiece filtering respirator or air-purifying respirator, high-efficiency particulate air(HEPA) filter media or respirator equipped with power
 - In lack of oxygen(<19.6%), wear the supplied-air respirator or self-contained breathing apparatus.
 - Consider the warning characteristics beforehand.
- **Eye protection**
 - Wear breathable safety goggles to protect from material causing eye irritation or other disorder.
 - An eye wash unit and safety shower station should be available nearby work place.
 - In case of direct exposure or potential exposure to the substance, wear safety glasses for chemicals approved in the country.
- **Hand protection**
 - Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
 - In case of direct exposure or potential exposure to the substance, wear safety gloves for chemicals approved in the country.
- **Body protection**
 - Wear appropriate protective clothing by considering physical and chemical properties of chemicals.
 - In case of direct exposure or potential exposure to the substance, wear protective

clothing for chemicals approved in the country.

9. PHYSICAL AND CHEMICAL PROPERTIES

Item	Input Value
Apperance	Liquid
Color	No Data
Smell	a specific smell of Hydrocarbon
Smell Threshold	No Data
pH (Numerical value)	No Data
Melting/Freezing Point	No Data
Boilling Point	No Data
Flash Point	230 °C
Evaporating Rate	No Data
Flammability(Solid, Gas)	No Data
Explosibility Range	No Data
Steam Pressure	No Data
Solubility	No Data
Vapor Density	No Data
Specific Gravity	0.89
Distribution Coefficient	No Data
Selflgnition Temperature	No Data
Pyrolysis Temperature	No Data
Viscosity	144.8 mm ² /s (at 40°C)
Molecular Weight	No Data

10. STABILITY AND REACTIVITY

- 1) Chemical Stability and hazardous reactivity**
 - Stable under normal temperatures and pressures.
 - Containers may explode when heated.
 - Some may burn but none ignite readily.
- 2) Conditions to avoid**
 - Ignition source(heat, spark, flame)
- 3) Incompatible materials**
 - Combustibles
 - Irritating and/or toxic gas
- 4) Hazardous decomposition products**
 - Not available

11. TOXICOLOGICAL INFORMATION

1) Information on the likely routes of exposures

☐ **Inhalation**

- No inhalation effects through respiratory system.

☐ **Skin contact**

- No effect on skin contact.

☐ **Eye contact**

- No effect on eye contact.

☐ **Ingestion**

- No ingestion effect through mouth.

2) Health hazard information

☐ **Acute toxicity**

*** Oral - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rat(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 401, GLP) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : rat; no deaths; LD50 > 10000 mg/kg bw (OECD Guideline 401) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)

*** Dermal - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rabbit(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 402, GLP) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : rabbit; no deaths; LD50 > 2000 mg/kg bw (OECD Guideline 402) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)

*** Inhalation(Gas) - Not applicable**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not available

- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

*** Inhalation(Vapour) - Not classified (ATEmix > 20 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : rat; inhalation: vapour; LC50 > 2.75 mg/L 4 hrs (OECD Guideline 403) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available

*** Inhalation(Dust, mist) - Not classified (ATEmix > 5 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : inhalation: aerosol; rat(male/female); 4h-LC50 > 5.53 mg/L. No deaths (read-across: MRD-87-102) (OECD TG 403)(ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); inhalation: aerosol; LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)

○ Skin corrosion/Irritation : Not classified

- Distillates (petroleum), hydrotreated heavy paraffinic : Solvent dewaxed light paraffinic oil is not considered to be irritating to the skin of rabbits. (read across : 64742-56-9) (GLP) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), : Not available

phosphorus sulfide(P2S5)
and propylene oxide

- Reaction Products of : Not available
alcohols, C14-18, C18
unsat., esterified with
phosphorus pentoxide and
salted with amines, C12-
14,- tert-alkyl
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5- : rabbit; not irritating (OECD Guideline 404) (ECHA)
dithione, reaction products
with hydrogen peroxide
and tert-nonanethiol
- Distillates (petroleum), : rabbit; not irritating (GLP) (read across: 64742-56-9) (ECHA)
solvent-dewaxed heavy
paraffinic

○ **Serious eye damage/irritation : Not classified**

- Distillates (petroleum), : Solvent dewaxed light paraffinic oil is not considered to be an ocular irritant.
hydrotreated heavy (read-across: 64742-56-9) (equivalent or similar to guideline OECD TG 405, GLP)
paraffinic (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), : Not available
reaction products with
alkanol(C=5~9),
phosphorus oxide(P2O5),
phosphorus sulfide(P2S5)
and propylene oxide
- Reaction Products of : Not available
alcohols, C14-18, C18
unsat., esterified with
phosphorus pentoxide and
salted with amines, C12-
14,- tert-alkyl
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5- : rabbit; not irritating (OECD Guideline 405) (ECHA)
dithione, reaction products
with hydrogen peroxide
and tert-nonanethiol
- Distillates (petroleum), : rabbit; not irritating (OECD TG 405, GLP) (read across: 64742-56-9) (ECHA)
solvent-dewaxed heavy
paraffinic

○ **Respiratory sensitization : Not classified**

- Distillates (petroleum), : Not available
hydrotreated heavy
paraffinic

- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), : Not available
reaction products with
alkanol(C=5~9),
phosphorus oxide(P2O5),
phosphorus sulfide(P2S5)
and propylene oxide
- Reaction Products of : Not available
alcohols, C14-18, C18
unsat., esterified with
phosphorus pentoxide and
salted with amines, C12-
14,- tert-alkyl
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5- : Not available
dithione, reaction products
with hydrogen peroxide
and tert-nonanethiol
- Distillates (petroleum), : Not available
solvent-dewaxed heavy
paraffinic

○ **Skin sensitization : Not classified**

- Distillates (petroleum), : Under the conditions of the test, Solvent dewaxed light paraffinic oil is
hydrotreated heavy considered non-sensitizing for guinea-pigs. (read-across: 64742-56-9) (OECD TG
paraffinic 406, GLP) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), : Not available
reaction products with
alkanol(C=5~9),
phosphorus oxide(P2O5),
phosphorus sulfide(P2S5)
and propylene oxide
- Reaction Products of : Not available
alcohols, C14-18, C18
unsat., esterified with
phosphorus pentoxide and
salted with amines, C12-
14,- tert-alkyl
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5- : guinea pig; not sensitising (OECD Guideline 406) (ECHA)
dithione, reaction products
with hydrogen peroxide
and tert-nonanethiol

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : guinea pig; not sensitising (OECD TG 406, GLP) (read across: 64742-53-6) (ECHA)

○ **Carcinogenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Trade secret : Not available
- Polyisobutylene : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)

○ **Germ cell mutagenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : In vitro bacterial reverse mutation assay: negative (equivalent or similar to guideline OECD TG 471) (ECHA)
In vitro mammalian chromosome aberration test: negative (read-across : 64742-53-6) (equivalent or similar to guideline OECD TG 473, GLP) (ECHA)
In vivo micronucleus assay : negative (read-across : 64741-62-4, 64741-53-3) (equivalent or similar to guideline OECD TG 474) (ECHA)
- Trade secret : Not available
- Polyisobutylene : In vitro Cell Transformation: positive (US Dashboard)
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of : Not available

- alcohols, C14-18, C18
unsat., esterified with
phosphorus pentoxide and
salted with amines, C12-
14,- tert-alkyl
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-
dithione, reaction products
with hydrogen peroxide
and tert-nonanethiol : in vitro mammalian cell gene mutation assay: negative with metabolic activation (OECD Guideline 476, GLP) (ECHA)
In vitro Mammalian Chromosome Aberration Test: negative (OECD Guideline 473, GLP) (ECHA)
in vitro bacterial reverse mutation assay: negative (OECD Guideline 471, GLP) (ECHA)
in vivo: not available
- Distillates (petroleum),
solvent-dewaxed heavy
paraffinic : In vitro Bacterial Reverse Mutation Assay : positive (OECD TG 471) (read across: 64741-50-0) (ECHA), In Vitro Mammalian Chromosome Aberration Test : negative (OECD TG 473) (read across: L-06 Light Hydrotreated Feedstock) (ECHA)
In vivo Mammalian Erythrocyte Micronucleus Test : negative (OECD TG 474) (read across: solvent-extracted, dewaxed paraffin oil) (ECHA)

○ **Reproductive toxicity : Not classified**

- Distillates (petroleum),
hydrotreated heavy
paraffinic : rat; screening for reproductive / developmental toxicity; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (read-across : Chevron 100 Neutral) (OECD TG 421, GLP) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16),
reaction products with
alkanol(C=5~9),
phosphorus oxide(P2O5),
phosphorus sulfide(P2S5)
and propylene oxide : Not available
- Reaction Products of
alcohols, C14-18, C18
unsat., esterified with
phosphorus pentoxide and
salted with amines, C12-
14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-
dithione, reaction products
with hydrogen peroxide
and tert-nonanethiol : rat; screening for reproductive/developmental toxicity; No treatment related effects were detected in the reproductive parameters examined. There were no toxicologically significant effects in group mean values for total litter weights, offspring body weights and body weight changes and surface righting reflex. Kidney changes of hyaline droplets peculiar to male rats and therefore it is not indicative of a hazard to human health (OECD Guideline 421, GLP) (ECHA)

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); 1000 mg/kg/day; Reproduction / Developmental Toxicity Screening Test; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (OECD TG 421, GLP) (read across: Chevron 100 Neutral) (ECHA)

○ **Specific target organ toxicity (single exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Hydronephrosis of the right kidney was observed in one rat but was not considered treatment-related by the study authors. No other abnormalities were observed in any male or female rats. (read-across: 64742-56-9) (OECD TG 401, GLP)(ECHA)
Dermal administration of API 78-9 at 5000 mg/kg did not result in any dermal irritation or signs of clinical toxicity. Gross necroscopy did not reveal any signs of systemic toxicity at the 5000 mg/kg dose level. (read-across: 64742-56-9) (OECD TG 402, GLP)(ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : oral; rat; Decreased motor activity was seen in 9 out of 10 animals in the high dose group within 24 hours following the high dose administration. During this same period, diarrhoea was observed in 2 of 5 high dose female rats and 1 of 5 low dose male rats (OECD Guideline 401) (ECHA)
rabbit; One male rabbit had diarrhoea on days 2, 3 and 4, as did one female rabbit on day 3. All rabbits appeared normal on day 5 and for the remainder of the observation period (OECD Guideline 402) (ECHA)
inhalation: vapour; rat; A clear nasal discharge, red encrustation around nose and eyes, and salivation were observed in four rats following exposure. One male rat exhibited diarrhoea immediately following exposure and on the following day (OECD Guideline 403) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : oral; rat(male/female); No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
dermal; rabbit(male/female); No visible signs of clinical toxicity were observed in male and female rabbits dosed with API 78-9 at 5000 mg/kg. LD50 > 5000 mg/

kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
 inhalation: aerosol; rat(male/female); The test material which was deposited on the animal fur during exposure diminished by observation Day 10. No mortality in either the control or exposed group was reported. There were no statistically significant differences in mean body weight between groups. LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)

○ **Specific target organ toxicity (repeated exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (read-across : 64742-53-6) (OECD TG 410, GLP) (ECHA)
 Inhalation; rat; 4 weeks; 0, 50, 220 or 1000 mg/m³; No systemic effects were observed. The NOAEL for lung changes associated with oil deposition in the lungs was 220 mg/m³. As no systemic toxicity was observed, the overall NOAEL for systemic effects was > 980 mg/m³. (equivalent or similar to guideline OECD TG 412) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : oral; rat; 50, 200 and 1000 mg/kg bw; effects found in kidneys of males are specific effects for male rats and not relevant for humans, as well as all other effects observed in treated animals at 200 mg/kg bw were adaptive and not adverse (OECD Guideline 407, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit(male/female); dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (OECD TG 410, GLP) (read across: 64742-53-6) (ECHA)

○ **Aspiration hazard : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Viscosity: 73.9 mm²/s (40°C)(ECHA) & hydrocarbons
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), : Not available

- reaction products with
alkanol(C=5~9),
phosphorus oxide(P₂O₅),
phosphorus sulfide(P₂S₅)
and propylene oxide
- Reaction Products of : Not available
alcohols, C14-18, C18
unsat., esterified with
phosphorus pentoxide and
salted with amines, C12-
14,- tert-alkyl
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5- : kinematic viscosity = 340 mm²/s (ASTM D445) (ECHA) & not hydrocarbons
dithione, reaction products
with hydrogen peroxide
and tert-nonanethiol
- Distillates (petroleum), : 52.1 mm²/s (40°C) & hydrocarbons
solvent-dewaxed heavy
paraffinic

12. ECOLOGICAL INFORMATION

1) Ecotoxicity

- Acute toxicity : Not classified (ATEmix>1mg/L)
- Chronic toxicity : Not classified

○ Acute (short-term) aquatic hazard:

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Trade secret : Not available
- Polyisobutylene : 96h-LC50(Rainbow Trout) > 5600 mg/L (US Dashboard)
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : 96h-LL50(Pimephales promelas) > 1000 mg/L (OECD Guideline 203, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L (read across : 64742-53-6 or 64741-97-5) (equivalent or similar to guideline OECD TG 202) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus

sulfide(P2S5) and propylene oxide : Not available

- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : 48h-EL50(Daphnia magna) = 41 mg/L (OECD Guideline 202, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : 72h-ErL50(Pseudokirchneriella subcapitata) > 100 mg/L (OECD Guideline 201, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available

○ Chronic (Long-term) aquatic hazard:

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(Daphnia magna)=10 mg/L (read across: 64742-53-6) (equivalent or similar to guideline OECD TG 211, GLP) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not available

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211, GLP) (ECHA)

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOEL(Pseudokirchnerella subcapitata) >= 100 mg/L (read across: 72623-87-1) (OECD TG 201) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : 72h-NOELR(Pseudokirchneriella subcapitata) = 100 mg/L (OECD Guideline 201, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 72h-NOELR(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)

2) Persistence and degradability

○ Persistence

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : log Kow > 9.4 (OECD Guideline 117, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : log Kow = 6.13 (experimental) (EPISUITE)

○ Degradability

- Distillates (petroleum), hydrotreated heavy paraffinic : The chemical constituents that comprise the other lubricant base oils category consist entirely of carbon and hydrogen and do not contain hydrolyzable groups. As such, they have a very low potential to hydrolyze. Therefore, this degradative process will not contribute to their removal from the environment. (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Hydrolysis was observed at pH 7 (OECD Guideline 111, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available

3) Bioaccumulative potential

○ **Bioaccumulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : BCF = 15.7 (estimated) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : BCF = 5147 (estimated) (EPISUITE)

○ **Biodegradation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Another lubricant base oil, Solvent Neutral 600 Base Oil (MRD-94 -981), was determined to be inherently biodegradable but not readily biodegradable with a mean degradation of 31.13% by day 28. (read across: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP) (ECHA)
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : 2% degradation after 28 days; no biodegradation observed (OECD Guideline 301 C, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 31 % degradation after 28d; not readily biodegradable (OECD TG 301F, GLP) (ECHA)

4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Koc > 427000 (OECD Guideline 121, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Koc=208800 (EPISUITE)

5) Hazard to the ozone layer

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not available
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus

sulfide(P2S5) and propylene oxide : Not available

- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Polyisobutylene : Not available
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not available
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not available
- Alkenylamine : Not available
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Waste must be disposed of in accordance with federal, state and local environmental control regulation.

2) Special precaution for disposal

- Consider the required attentions in accordance with waste treatment management regulation.

14. TRANSPORT INFORMATION

1) UN No.

- Not applicable

2) Proper shipping name

- Not applicable

3) Transport hazard class(es)

- Not applicable

4) Packing group

- Not applicable

5) Marine pollutant

- Not applicable

6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- Transport regulations according to ADR/RID, AND, IMDG and ICAO/IATA : Not applicable

15. REGULATORY INFORMATION

EINECS(or ELINCS)

- Distillates (petroleum), hydrotreated heavy paraffinic : European EINECS phase-in substance
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : European EINECS phase-in substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : European EINECS phase-in substance

EU CLP (CLASSIFICATION) - PRODUCT : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

Substances restricted under REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Substances restricted under REACH
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Substances restricted under REACH

Substances subject to authorization under REACH

REACH SVHC List

Korea

○ Occupational Safety and Health Act

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable

- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **K-REACH**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **Chemical Control Act in Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **Safety Control of Dangerous Substances Act**

- Distillates (petroleum), hydrotreated heavy paraffinic : Dangerous substance
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

U.S.A

○ **US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **CERCLA Designation of hazardous substances (40 CFR 302.4)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **CERCLA Section 302 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **CERCLA Section 304 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **CERCLA Section 313 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **California Proposition 65**

- This product can expose you to chemicals including Methyl isobutyl ketone, Benzene, Ethyl acrylate, and 2-ethylhexyl acrylate, which are known to the State of California to cause cancer, and Methyl isobutyl ketone, which is known to the State of California to cause birth defects or other reproductive harm.

International Convention on Environment

○ **Rotterdam Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **Stockholm Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ **Montreal Protocol list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable

- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

National Inventory

○ Korea

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Not applicable
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable

○ U.S.A

- Distillates (petroleum), hydrotreated heavy paraffinic : US TSCA phase-in substance
- Trade secret : Not applicable
- Polyisobutylene : US TSCA phase-in substance
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : US TSCA phase-in substance

○ China

- Distillates (petroleum), hydrotreated heavy paraffinic : China phase-in substance
- Trade secret : Not applicable
- Polyisobutylene : China phase-in substance
- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P₂O₅), phosphorus sulfide(P₂S₅) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : China phase-in substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : China phase-in substance

○ Japan

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Polyisobutylene : Japan ENCS phase-in substance

- Amines, alkyl(C=10~16), reaction products with alkanol(C=5~9), phosphorus oxide(P2O5), phosphorus sulfide(P2S5) and propylene oxide : Not applicable
- Reaction Products of alcohols, C14-18, C18 unsat., esterified with phosphorus pentoxide and salted with amines, C12-14,- tert-alkyl : Not applicable
- Alkenylamine : Not applicable
- 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Japan ENCS phase-in substance

16. OTHER INFORMATION

1) Reference

- Sources of information used in preparing this SDS included one or more of the following: Internal technical data, data from OECD eChemPortal, ECHA, NITE, TOXNET, IPCS and KOSHA search results.

2) Issue Date

- 2012-11-30

3) Revision number and Last date revised

- **Number of revised**
- 5
- **Date of last revision**
- 2026-02-23
- **Last Revision History**
- English revision

4) Other

- The information contained in the Safety Data Sheet is at the date of its issuance to the best of our knowledge correct according to the data available to us. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.